



REQUEST FOR QUOTATION (RFQ) No. 397-2021

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2021-124 (MISO)	LABOR & MATERIALS: IT PROJECT: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND STUDIO SOLUTION FOR LIVE STREAMING AND RECORDING FOR TARLAC STATE UNIVERSITY	972,000.00

Purpose:

Philgeps Posting: Active Date: 10/25/2021 Closing Date: 11/1/2021 Category: IT Reference No.: 2113022

Interested suppliers are required to submit the following documents:

- | | |
|--|--|
| <input type="checkbox"/> Valid and Current Mayor's / Business Permit | <input type="checkbox"/> Latest Income / Business Tax Return |
| <input type="checkbox"/> Proof of PhilGeps Registration | <input type="checkbox"/> Omnibus Sworn Statement |
| | <input type="checkbox"/> Brochure, if applicable |

TSU Condition of Sale:

1. Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
2. Bid Validity: 120 calendar days from submission of bids
3. Delivery Site: Supply and Property Management Unit, Tarlac State University (045) 606-8159 / (045) 982-2605
4. Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1-) and eligibility documents is not later than 11/2/2021 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City.

Open submission may be done manually or through email at tsucanvassing@gmail.com / julietelaineacuna@yahoo.com / javy_carlos@yahoo.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

CARLOTA M. MARCOS
Head, Procurement Unit

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	lot	<p>LABOR & MATERIALS: IT PROJECT: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND STUDIO SOLUTION FOR LIVE STREAMING AND RECORDING FOR TARLAC STATE UNIVERSITY</p> <p>Detailed Technical Specification:</p> <p>Media Recorder Box (1 unit) Support 2 HDMI inputs for live streaming & recording, Small Size with 7-inch touch screen, easy to carry and demonstrate, Recording output format for MP4, Full/PIP/POP layouts and with special transition effects, Support TS/RTMP live streaming protocol, PGM review and can be output to big screen to watch, Friendly Touch Screen and able to combine mouse to control, Auto or manually switch layout (A/B/PIP/POP) while recording, System will auto display the single signal, or it can be selected to 2 inputs of alternative layouts of PIP or POP, Auto save & upload the recorded files to public platforms as Youtube, Wowza, Ustream, etc With smart switch function, system will auto display the sub-input while the main signal is blank and auto switch into PGM mode while the inputs are dynamic, Other setting: Brighness/Contrast/Color/Saturation/Resolution/Parameters/Time/Logo/IP setting, Suitable for remote conference, training, learning, seminar, medical use and so on, Monitor: 7" touch screen, I/O: USB 3.0, RJ45, Internal Memory: 64GB, Resolution: 1080p x 720p, Coding Format: MF 4 (H.264/AAC), Operating System: Linux, Input: HDMI X2, Line In, Mic Output: HDMI X1, Line out, Power: DC 12V</p>	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Interactive Display (75 inches) (1 unit) , OPS PC module, Processor: Intel Core i5, 8th Gen, Graphics: UHD Graphic, Support 4k@60Hz Refresh Rate, RAM/Memory: 4GB, Storage/Hard Disc: 128GB SSD, OS: Windows IOT Genuine License Thinker View Camera, Full HD Camera with 110 Degree FOV, and built-in mic Array			
		Floor Mount Trolley (1 unit) , Universal in design to fit 72" to 98" displays. The Floor mount can hold the weight up to 130 kg, Integrated cable management system, Adds a top tray and adjustable middle ledge to carry AV equipment VESA compliant , Colors available: Black, Max. load 287 lbs (130 kg), VC Camera Mount Yes VESA 600x400 to 900x600, Display Sizes 72" to 98", Material Steel, Product Weight 38 kg			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		<p>Tracking Camera (1 unit), Superb High-definition Image, Leading Focus Technology Low Noise and High SNR, Audio Input Interface Wide-range, Quiet and Quick Pan/Tilt Mechanism, Multiple Video Compression Multiple Network Protocol, Low-power Sleep Function, Sensor: 1/2.8-inch-high quality HD CMOS Sensor, Effective Pixels: 2.07 megapixel; 16:9, Video Signals: 1080P 60/50/30/25/59.94/29.97, 1080i 60/50/59.94, 720P 60/50/30/25/59.94/29.97, Optical Zoom: 20x Optical Zoom, f =4.7~94mm, View angle: 2.9 (tele)~55.4(wide), Digital Zoom: x10, Digital Noise Reduction 2D&3D digital noise reduction, Iris: F1.6~F3.5, Minimum Illumination: 0.5Lux (F2.8, AGC ON), White Balance: Manual/Auto/One Push/3000K/4000K/5000K/6500K, Focus: Auto / Manual/ One Push, Electronic Shutter: Auto/Manual, WDR: OFF/Dynamic Range adjustment, Video Adjustment: Brightness, Color, Saturation, Contrast, Sharpness, Gamma Curve, Panoramic Camera Sensor: 1/2.8inch high quality HD CMOS Sensor, Effective Pixels: 2.1 megapixel, Lens: Manual Focus, 6mm Lens View Angle: 122/98/73, Input/Output Interface and Protocols, Video Interface: SDI LAN, Network Interface: 100M network interface (10/100BASE-TX), Video Compress Format: H.264, H.265, Control Protocol: Visca/Pelco-D/Pelco-P Baud Rate: 115200/9600/4800/2400bps, Network Protocol RTSP, RTMP, ONVIF, GB/T28181, Audio Input Interface: Dual audio channel 3.5mm linear input, Video Stream: Dual Stream Output, Control Signal Interface: RS232 / RS485, Audio Compress Format: AAC, MP3, PCM, Power, Interface: HEC3800 Power Jacket (DC12V)</p>			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Pan Tilt Parameter, Pan Rotation: -170 ~ +170, Pan Control Panel: 0.1 ~ 100/s, Preset Speed: Pan: 100/s, Tilt: 45/s, Preset Number "User can set up to 255 presets (remoter 10 presets), Other Parameters: Supply Adapter: Input AC110V-AC220V to DC12V/2.5A, Input Voltage: Output DC12V+10%Consumption: 18W (Max), Input Current "1.5A (Max), Application: Indoor, Remote Maintenance: Remote Update, Remote Reboot, Remote Reset, Accessory: 12V/2.5A Power Supply Adapter, RS232 control cable, Remote Controller, User Manual, Warranty Card			
		Tripod Sysytem Kit (1unit) Two-stage aluminum tripod with 60mm bowl, Supports loads up to 11 lbs, Fixed pan/tilt drag with independent pan/tilt locks, Sliding quick release plate, Pan handle attaches to either side of head 28.9 to 61" Height range, Fixed, non-removable mid-level spreader, Independent leg adjustment using twist-lock levers, Rubber feet with enclosed metal spikes for use on a variety of surfaces, Head-mounted bubble level 30.5" Folded length, Padded carrying case			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982-4630 / (045) 606-8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Key Board Controller (1 unit) Features: Ergonomic design with 4D stick for pan/tilt/zoom/focus control, Auto backlight keys & High brightness OLED display, Self-defined keys as shortcut, Password protection, Support multi-baud rate and protocols, Support up to 256 devices, Batch program cameras in the systems, Compact design with portable feature, Comm. Interface : RS-485, RS-232, Protocol : PELCO-D, PELCO-P, VISCA, Baud Rate(bps) : 2400, 4800, 9600, 19200, 38400, Address : 0 ~ 255, 0 ~ 7 (VISCA) , Joystick : 4-axis (Left/Right, Up /Down, Zoom In/ Zoom Out, Focus Near / Focus Far), Display : OLED, Power : DC12V/ 1A, Power Consumption : <2W			
		HDMI Capture Box (1 unit), max input resolution 1920x1200, with USB, 1HDMI, embedded audio			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		<p>High-Performance Laptop for Livestreaming (2 units) Processor: 11th Generation Intel® Core™ i7 Operating System: Pre-loaded OEM Windows 10 Pro 64bit English, (Genuine Microsoft OS Media Kit CD Included, DVD or Flashdrive, or document proof of OS genuity), Graphics: NVIDIA® GeForce RTX™ 3060 6GB GDDR6, Display: 15.6-inch FHD (1920 x 1080) 120Hz 250 nits WVA Anti-Glare LED Backlit Narrow Border Display Memory: 16GB, 8GBx2, DDR4, 3200MHz, Hard Drive: 512GB M.2 PCIe NVMe Solid State Drive, Processor: 11th Generation Intel® Core™ i7, Operating System: Pre-loaded OEM Windows 10 Pro 64bit English, (Genuine Microsoft OS Media Kit CD Included, DVD or Flashdrive, or document proof of OS genuity), Graphics: NVIDIA® GeForce RTX™ 3060 6GB GDDR6, Display: 15.6-inch FHD (1920 x 1080) 120Hz 250 nits WVA Anti-Glare LED Backlit Narrow Border Display, Memory: 16GE, 8GBx2, DDR4, 3200MHz, Hard Drive: 512GB M.2 PCIe NVMe Solid State Drive, Keyboard: US English Qwerty 4-Zone RGB Backlit Keyboard with Numeric Keypad and G-Key, Mouse: Precision Touchpad, Ports: 2 SuperSpeed USB 3.2, 1 SuperSpeed USB 3.2 with PowerShare, 1 Type-C Thunderbolt™ 4 port with DisplayPort alt mode, 1 HDMI, 1 Power In, 1 RJ45, 1 Headphones/mic, Camera: HD RGB camera with digital-array microphones in camera assembly, Audio and Speakers :1 headset (headphone and microphone combo) port, Stereo speakers with Realtek ALC3254, 2 W x 2.5 W, Dual-array microphones Wireless: Intel® Wi-Fi 6 AX201 (2x2) Wi-Fi + Bluetooth 5.2 Primary Battery, 6-cell Smart lithium-ion, 86 WHr w/ 3 years on-site repair / warranty on all labor and parts by an authorized technical support.</p>			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		<p>5-Port Gigabit Switch (1 unit) Device Interfaces: 5 X 10/100/1000BASE-T ports, Standards: • IEEE 802.3 10BASE-T • IEEE 802.3u 100BASE-TX • IEEE 802.3ab 1000BASE-T • IEEE 802.3x Flow Control • IEEE 802.1p QoS • IEEE 802.3az Energy-Efficient Ethernet (EEE) Media Interface Exchange: Auto MDI/MDIX adjustment for all ports, Transmission Method: Store-and-forward Data Transfer Rates: Ethernet: • 10 Mbps (half-duplex) • 20 Mbps (full-duplex) • Fast Ethernet: • 100 Mbps (half-duplex) • 200 Mbps (full-duplex) • Gigabit Ethernet: • 2000 Mbps (full-duplex)</p>			
		<p>Wireless Presenter System with Lavalier Microphone (1 unit) Bodypack Transmitter Audio Input Level: Max = -16 dBV maximum, min (0 db) = +10dBV maximum, Gain Adjustment Range: 26 dB, Input Impedance: 1 MΩ RF Transmitter Output: 10 mW, typical, Housing: Molded ABS, Power Requirements: 2 LR6 AA batteries, 1.5 V, alkaline, Battery Life: up to 14 hours (alkaline), Wireless Receiver: Output Impedance, XLR Connector: 200 Ω 6.35 mm (1/4") connector: 50 Ω Audio Output Level, XLR Connector: -27 dBV (into 100 kΩ load), 6.35 mm (1/4"): -13 dBV (into 100 kΩ load), RF Sensitivity: -105 dBm, for 12 dB SINAD, typical, Image Rejection: >50 dB, typical, Housing: Molded ABS, Power Requirements: 12-15 V DC @ 235 mA (BLX88, 320 mA), supplied by external power supply with Lavalier Microphone</p>			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Dimmable Bi-Color Light LED Panel and Stand Lighting Kit (3 sets) Dimmable Bi-color Light Panel: With 330 White and 330 Yellow LED long lasting bulbs, back with 2 control knobs to adjust brightness (0%-100%), 3200-5600K color temperature, the light panel can satisfy your various needs of lighting effects, more realistic to show the color of shooting objects. U-mount Bracket & Adjustable Light Stand : U-mount bracket enables the photographers to adjust the lighting angle according to the shooting environment. Comes with an extensible light stand, folded height is about 49.5cm/19.5in, and max. height is about 200cm/78.7in, with knob to lock the height you desired, very convenient to use. 2 Types of Power Supply : Power can be supplied through AC adapter or 2 lithium batteries at the video light to use, support NP-F550/F970/F750 li-ion batteries. (Batteries are not included.) Premium Material & Multi-use: Made of excellent quality aluminum alloy showing simple elegant appearance; Can be placed directly on the light stand, ground or desk, providing multiple shooting solutions, more convenient for your creation work. Useful Accessories: Comes with a white diffuser to soften the harsh light; A zippered carrying bag makes it easy to carry and store the light and accessories.			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982-4630 / (045) 606-8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		LED Light Main Material: Aluminum Alloy, Plug: US/EU/UK/JP(Optional), 100-240V 50/60Hz Voltage: DC 12V-15V, LED Beads: 660 Pieces (330 White+330 Yellow), Power: 40W Lumen: 4260, Adjustable Brightness: 0%-100%, Color Temperature: 3200-5600K Color Rendering Index: ≥85%, Light Stand Color: Black, Main Material: Aluminum Alloy, Folded Height: 49.5cm / 19.5in, Maximum Height: 200cm / 78.7in, Tripod Weight: 1111g / 39.2oz			
		25ft HDMI Cable (1 unit) High-Speed HDMI Cable with Ethernet (Camera to AV Mixer/ Media Box) Technical Specifications, Video: Max Data Rate for 25-35ft (7.6-10.7m) : 10.2 Gbps (3.4Gbps per channel), Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT.2020, HDMI Compliance: HDR, HDCP 2.2, EDID and CEC, ARC and ETH, Audio: Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS-HD Master Audio™, DVD Audio, SA-CD PHYSICAL HDMI Source: On a male HDMI type A, 24K gold-plated K-Lock connector HDMI Display: On a male HDMI type A, 24K gold-plated K-Lock connector, CONDUCTORS Material: Bare Copper, 3-35ft (.9-10.7m) lengths: 26AWG (7/0.160), SCREENING Type: Triple shielding, JACKET Material: PVC, Color: Black			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		35ft HDMI Cable (1 unit) High-Speed HDMI Cable with Ethernet (Interactive Display to AV Mixer / Media Box Technical Specifications: Video: Max Data Rate for 25-35ft (7.6-10.7m) : 10.2 Gbps (3.4Gbps per channel), Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT.2020, HDMI Compliance: HDR, HDCP 2.2, EDID and CEC, ARC and ETH Audio Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS-HD Master Audio™, DVD Audio, SA-CD PHYSICAL HDMI Source: On a male HDMI type A, 24K gold-plated K-Lock connector HDMI Display: On a male HDMI type A, 24K gold-plated K-Lock connector CONDUCTORS Material: Bare Copper 3-35ft (.9-10.7m) lengths: 26AWG (7/0.160) SCREENING Type: Triple shielding JACKET Material: PVC, Color: Black			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		3ft HDMI Cable (1 unit) High-Speed HDMI Cable (AV Mixer / Media box to HDMI Capture Box) Video: Max Resolution for 3–20ft (.9–6.1m) lengths: 4K@60Hz (4:4:4), Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT.2020, HDMI Compliance: HDR, HDCP 2.2, EDID and CEC, ARC and ETH Audio Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS–HD Master Audio™, DVD Audio, SA–CD PHYSICAL HDMI Source: On a male HDMI type A, 24K gold–plated K–Lock connector HDMI Display: On a male HDMI type A, 24K gold–plated K–Luck connector CONDUCTORS Material: Bare Copper 3–35ft (.9–10.7m) lengths: 26AWG (7/0.160) SCREENING Type: Triple shielding JACKET Material: PVC, Color: Black			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: _____
 RFQ No. 397-2021
 PR No. 2021-124 (MISO)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		Background Cloth for Photograph, (1 unit) Material: cotton muslin harmonious background, wear-resistant, wrinkle resistance with Clamps and mounting accessories. Dimensions: 3m x6m, Color: Black Additional Requirements: Provide user training to end-users for each equipment operation and installation. •Provide warranty for all the equipment to be delivered on all labor or parts, on-site repair, or hardware replacement. •Installation and setup of included items in the project. •Conduct testing prior to project acceptance •Conduct of a kick-off meeting to discuss the project implementation plan.			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 8113882
Procuring Entity TARLAC STATE UNIVERSITY
Title LABOR & MATERIALS: IT PROJECT: SUPPLY, DELIVERY, INSTALLATION, COMMISSIONING AND STUDIO SOLUTION FOR LIVE STREAMING AND RECORDING FOR TARLAC STATE UNIVERSITY
Area of Delivery Tarlac

Solicitation Number:	2021-124	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	1
Classification:	Goods	Bid Supplements	0
Category:	Information Technology		
Approved Budget for the Contract:	PHP 972,000.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:		Date Published	25/10/2021
Contact Person:	Jhenna Micah Manalo Aquino Clerk Romulo Blvd. San Vicente, Tarlac City Tarlac City Tarlac Philippines 2300 63-45-6068157 jmaquino@tsu.edu.ph	Last Updated / Time	22/10/2021 16:40 PM
		Closing Date / Time	02/11/2021 17:00 PM

Description

For TSU use.

Line Items

Item No.	Product / Service Name	Description	Quantity	UOM	Budget (PHP)
1	Labor & Materials: IT Project: Supply, Delivery, I	please see attached document	1	Lot	972,000.00

Created by Jhenna Micah Manalo Aquino

Date Created 22/10/2021

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.